L Number	Hits	Search Text	DB	Time stamp
-	2364	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4)	USPAT;	2003/05/28 12:06
		NEAR4 result\$1))	EPO; JPO;	
		, · · · · · · · · · · · · · · · · · · ·	DERWENT;	
			IBM_TDB	,
1_	109	((((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4)	USPAT;	2002/12/17 22:15
	100	NEAR4 result\$1)))-AND 707/\$.ccls.) AND null	EPO; JPO;	2002/12/1/ 22:10
			DERWENT:	
1			IBM TDB	
	62	((((((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4)	USPAT;	2002/12/17 22:15
-	02	NEAR4 result\$1))) AND 707/\$.ccls.) AND null) AND	EPO; JPO;	2002/12/11 22:10
		operator\$1	DERWENT;	
			IBM TDB	
1_	58	((((((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4)	USPAT;	2002/12/17 22:20
1		NEAR4 result\$1))) AND 707/\$.ccls.) AND null) AND	EPO; JPO;	2002/12/11 22:20
		operator\$1) AND (term\$1 OR keyword\$1)	DERWENT;	
		Operatory 1) AND (territor Oil keywordy 1)	IBM TDB	,
	92	(((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4)	USPAT;	2002/12/17 22:29
-	92	NEAR4 result\$1))) AND (boolean NEAR2 operator\$1)	EPO; JPO;	2002/12/11 22.29
		NEAR4 results ())) AND (boolean NEAR2 operators ()	DERWENT;	,
		· ·		
1		(//display\$3 OB vigual\$2) NEADS //accreb\$2 OD =====\$4\	IBM_TDB	2002/12/17 20:20
-	5	(((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4)	USPAT;	2002/12/17 22:30
		NEAR4 result\$1))) AND (boolean NEAR8 (choose\$1 OR	EPO; JPO;	
		choosing OR chosen))	DERWENT;	
		///diamles/#2 OD signal#0\ NEADO //==== \ #0 OD == = #1	IBM_TDB	00004047.00.01
-	677	(((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4)	USPAT;	2002/12/17 22:31
,		NEAR4 result\$1))) AND 707/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2364	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4)	USPAT;	2002/12/18 16:15
		NEAR4 result\$1))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	241	(((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4)	USPAT;	2002/12/18 16:34
		NEAR4 result\$1)) ) AND 345/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	349	((search\$3 OR quer\$4) NEAR6 (present\$3 OR display\$3 OR	USPAT;	2002/12/18 17:47
		show\$3)) NEAR10 graphical\$2	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1036	(search\$3 OR quer\$4) NEAR6 template\$1	USPAT;	2002/12/18 17:49
		,	EPO; JPO;	
			DERWENT;	
		//	IBM_TDB	0000//5//5 := 5:
-	10	((search\$3 OR quer\$4) NEAR6 template\$1) NEAR20	USPAT;	2002/12/18 17:50
		graphical\$2	EPO; JPO;	
			DERWENT;	
	_	// 100 00 00 00 00 00 00 00 00 00 00 00 00	IBM_TDB	
-	6	((search\$3 OR quer\$4)-NEAR6 template\$1) NEAR20	USPAT;	2002/12/18 17:50
		visual\$2	EPO; JPO;	
·		•	DERWENT;	
			IBM_TDB	
-	2	5995979.pn.	USPAT;	2003/03/13 12:44
			EPO; JPO;	
			DERWENT;	
		<b></b>	IBM_TDB	
-	1	20020099701.pn.	USPAT;	2003/03/13 12:44
			EPO; JPO;	
'		,	DERWENT;	
			IBM_TDB	
-	4	5909678.uref.	USPAT;	2003/03/13 13:34
			EPO; JPO;	
		•	DERWENT;	
		·	IBM_TDB	

			•	
-	2472	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))	USPAT; EPO; JPO; DERWENT;	2003/03/13 14:51
-	2472	((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/13 14:52
-	510	(((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1)) ) AND ((search\$3 OR quer\$4) NEAR20 ((select\$3 OR choos\$3) NEAR4 (item\$1 OR element\$1 OR	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/13 14:55
	2	data OR term\$1 OR word\$1))) 6029165.pn.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/13 14:54
-	1	6029165.pn. AND initiat\$4	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/13 14:54
-	287	((((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1)) ) AND ((search\$3 OR quer\$4) NEAR20 ((select\$3 OR choos\$3) NEAR4 (item\$1 OR element\$1 OR	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/13 14:57
-	145	data OR term\$1 OR word\$1)))) AND 707/\$.ccls. ((((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1)) ) AND ((search\$3 OR quer\$4) NEAR20 ((select\$3 OR choos\$3) NEAR4 (item\$1 OR element\$1 OR	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/03/13 14:56
-	94	data OR term\$1 OR word\$1)))) AND ((eliminat\$4 OR remov\$3) NEAR4 (item\$1 OR element\$1 OR data OR term\$1 OR word\$1)) (((((display\$3 OR visual\$2) NEAR6 ((search\$3 OR quer\$4) NEAR4 result\$1)) ) AND ((search\$3 OR quer\$4) NEAR20 ((select\$3 OR choos\$3) NEAR4 (item\$1 OR element\$1 OR data OR term\$1 OR word\$1)))) AND ((eliminat\$4 OR	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 12:29
	50004	remov\$3) NEAR4 (item\$1 OR element\$1 OR data OR term\$1 OR word\$1))) AND 707/\$.ccls. ((choos\$3 chosen select\$3) NEAR4 (operator\$1))	USPAT; EPO; JPO;	2003/05/09 16:22
-	3815	(((choos\$3 chosen select\$3) NEAR4 (operator\$1))) AND database\$1	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/05/09 16:15
-	424	((((choos\$3 chosen select\$3) NEAR4 (operator\$1))) AND database\$1) AND ((remov\$3 eliminat\$4) NEAR4 operator\$1)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/05/09 16:34
-	301	(((((choos\$3 chosen select\$3) NEAR4 (operator\$1))) AND database\$1) AND ((remov\$3 eliminat\$4) NEAR4 operator\$1)) AND (display\$3 NEAR6 (operator\$1 item\$1	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/05/09 16:42
-	56	keyword\$1 result\$1)) ((((((choos\$3 chosen select\$3) NEAR4 (operator\$1))) AND database\$1) AND ((remov\$3 eliminat\$4) NEAR4 operator\$1)) AND (display\$3 NEAR6 (operator\$1 item\$1	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/05/09 16:17
-	110	keyword\$1 result\$1))) AND (707/\$.ccls. 345/\$.ccls.) ((choos\$3 chosen select\$3) NEAR4 ((logical ADJ2 operator\$1)))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/05/09 16:23
-	3	(((choos\$3 chosen select\$3) NEAR4 ((logical ADJ2 operator\$1)))) AND ((remov\$3 eliminat\$4) NEAR4 operator\$1)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 16:27
	L	<u> </u>	100	L

5/09 16:29 5/09 16:30 5/09 16:34
5/09 16:34
ļ
5/09.16:35
5/09 16:35
5/09 16:36
5/09 16:38
5/09 16:39
5/09 16:44
5/09 16:45
5/09 16:45
5/09 16:50
5/09 16:51
5/09 16:52
5/09 16:52

-	6	(display\$3 NEAR10 (operator\$1) NEAR10 (eliminat\$4 delet\$3 eras\$3)) AND (operator\$1 NEAR4 "and")	USPAT; EPO; JPO;	2003/05/09 16:57
		deletas elasas)) AND (operatora i NEAR4 and )	DERWENT;	
			IBM_TDB	
-	2	(display\$3 NEAR10 (logical NEAR2 operator\$1) NEAR10	USPAT;	2003/05/09 16:57
		(possible available))	EPO; JPO;	
			DERWENT; IBM_TDB	
_	4	("5905982" "6006225").pn.	USPAT:	2003/05/28 12:11
			EPO; JPO;	
		,	DERWENT;	
	2076	(mull) NEADS (SQL pages 62 magult 64)	IBM_TDB	2003/05/28 12:11
-	2276	(null) NEAR6 (SQL search\$3 result\$1)	USPAT; EPO; JPO;	2003/03/26 12.11
			DERWENT;	
			IBM_TDB	
-	35	((null) NEAR6 (SQL search\$3 result\$1)) AND (display\$3	USPAT;	2003/05/28 12:18
		NEAR4 (term\$1))	EPO; JPO;	
			DERWENT;	
_	221	((null) NEAR6 (SQL search\$3 result\$1)) AND 707/\$.ccls.	IBM_TDB USPAT;	2003/05/28 12:18
	221	((1dil) 142/116 (0d2 30d101145 103d14 1)) 1145 10174.0015.	EPO; JPO;	2000/00/20 12:10
			DERWENT;	
			IBM_TDB	
-	196467	((select\$3 choos\$3) NEAR4 (item\$1 element\$1 term\$1	USPAT;	2003/05/28 12:31
		word\$1 keyword\$1))	EPO; JPO; DERWENT;	
]			IBM TDB	
-	4053	(((select\$3 choos\$3) NEAR4 (item\$1 element\$1 term\$1	USPAT;	2003/05/28 12:31
		word\$1 keyword\$1)) ) AND (search\$3 quer\$4).ti,ab.	EPO; JPO;	
		·	DERWENT;	
_	1870	((((select\$3 choos\$3) NEAR4 (item\$1 element\$1 term\$1	IBM_TDB USPAT;	2003/05/28 12:32
	1070	word\$1 keyword\$1))) AND (search\$3 quer\$4).ti,ab.) AND	EPO; JPO;	2000/00/20 12.02
		((display\$3 show\$3) NEAR4 (item\$1 element\$1 term\$1	DERWENT;	
		word\$1 keyword\$1))	IBM_TDB	·
-	476	(((((select\$3 choos\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1)) ) AND (search\$3 quer\$4).ti,ab.) AND	USPAT; EPO; JPO;	2003/05/28 12:36
		((display\$3 show\$3) NEAR4 (item\$1 element\$1 term\$1	DERWENT;	
		word\$1 keyword\$1))) AND ((eliminat\$4 remov\$3 delet\$3)	IBM TDB	
<u> </u>		NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1))	_	
-	2	(((((select\$3 choos\$3) NEAR4 (item\$1 element\$1 term\$1	USPAT;	2003/05/28 12:34
		word\$1 keyword\$1)) ) AND (search\$3 quer\$4).ti,ab.) AND ((display\$3 show\$3) NEAR4 (item\$1 element\$1 term\$1	EPO; JPO; DERWENT;	
		((display\$5 show\$5) NEAR4 (item\$1 element\$1 term\$1   word\$1 keyword\$1))) AND ((eliminat\$4 remov\$3 delet\$3)	IBM_TDB	
		NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1)		
		NEAR6 NULL)		0000/07/00 /=
-	56	((((((select\$3 choos\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1)) ) AND (search\$3 guer\$4).ti,ab.) AND	USPAT;	2003/05/28 12:36
		((display\$3 show\$3) NEAR4 (item\$1 element\$1 term\$1	EPO; JPO; DERWENT;	
		word\$1 keyword\$1))) AND ((eliminat\$4 remov\$3 delet\$3)	IBM_TDB	
		NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1))) AND		
		345/\$.ccls.	LIODAT.	0000/05/00 15 15
-	274	((((((select\$3 choos\$3) NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1)) ) AND (search\$3 quer\$4).ti,ab.) AND	USPAT; EPO; JPO;	2003/05/28 12:42
		((display\$3 show\$3) NEAR4 (item\$1 element\$1 term\$1	DERWENT;	
		word\$1 keyword\$1))) AND ((eliminat\$4 remov\$3 delet\$3)	IBM_TDB	
-		NEAR4 (item\$1 element\$1 term\$1 word\$1 keyword\$1))) AND	_	
	2	707/\$.ccls.   5206949.pn.	LICDAT	2002/05/20 44:05
-	2	- 0200 <del>040</del> .μπ.	USPAT; EPO; JPO;	2003/05/28 14:05
			DERWENT;	
			IBM_TDB	

	7032	(display\$3 NEAR2 (search\$3 quer\$4))	USPAT;	2003/05/28 14:08
-	7032	(displayas NEAR2 (sealchas quera4))		2003/03/20 14.00
			EPO; JPO; DERWENT;	
	0.14	( F	IBM_TDB	0000/05/00 44 00
-	214	(display\$3 NEAR2 ((search\$3 quer\$4) NEAR2 (term\$1	USPAT;	2003/05/28 14:06
		keyword\$1)))	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	64	((display\$3 NEAR2 ((search\$3 quer\$4) NEAR2 (term\$1	USPAT;	2003/05/28 14:09
		keyword\$1)))) AND (select\$3 NEAR2 ((search\$3 quer\$4)	EPO; JPO;	
		NEAR2 (term\$1 keyword\$1)))	DERWENT;	
			IBM_TDB	
_	7	(((display\$3 NEAR2 ((search\$3 quer\$4) NEAR2 (term\$1	USPAT:	2003/05/28 14:07
		keyword\$1)))) AND (select\$3 NEAR2 ((search\$3 quer\$4)	EPO; JPO;	
		NEAR2 (term\$1 keyword\$1)))) AND (select\$3 NEAR2	DERWENT;	
		(boolean operator\$1))	IBM TDB	
_	126	(display\$3 WITH list\$1 WITH (search\$3 quer\$4) WITH	USPAT;	2003/05/28 14:09
		(term\$1 keyword\$1))	EPO; JPO;	
		(torring + Koj Worldy 17)	DERWENT;	
			IBM TDB	
<u>_</u>	32	((display\$3 WITH list\$1 WITH (search\$3 quer\$4) WITH	USPAT:	2003/05/28 16:27
-	] 52	(term\$1 keyword\$1))) AND (select\$3 NEAR2 ((search\$3	EPO; JPO;	2000/00/20 10.27
		quer\$4) NEAR2 (term\$1 keyword\$1)))	DERWENT;	
		quei++/ NEAN2 (teilili#1 keyword#1)))	IBM TDB	
	0	20020099701.pn. AND hybrid	USPAT:	2003/05/28 14:23
-	"	20020099701.pm. AND hybrid	EPO; JPO;	2003/03/26 14.23
		•	DERWENT;	
		0000000704 AND bullet	IBM_TDB	0000/05/00 45:00
-	1	20020099701.pn. AND hybrid	USPAT;	2003/05/28 15:03
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	2	20020138494.pn.	USPAT;	2003/05/28 15:04
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	18	(((display\$3 WITH list\$1 WITH (search\$3 quer\$4) WITH	USPAT;	2003/05/28 16:28
		(term\$1 keyword\$1))) AND (select\$3 NEAR2 ((search\$3	EPO; JPO;	
		quer\$4) NEAR2 (term\$1 keyword\$1)))) AND (boolean	DERWENT;	
		operator\$1)	IBM TDB	